

ANALYTICA CHIMICA ACTA, VOL. 225 (1989)

AUTHOR INDEX

- Abe, H.
—, Kanaya, S., Takahashi, Y. and Sasaki, S.-I.
Method for monitoring sensor stability in a multiple semiconductor gas-sensor system 89
- Akeson, M., see Nater, E.A. 233
- Alexander, P.W., see Root, D.P. 105
- Alexandratos, S.D., see Schweitzer, G.K. 323
- Arnezeder, Ch.
—, Koliander, W. and Hampel, W.A.
Rapid determination of ergosterol in yeast cells 129
- Asano, K.G., see McLuckey, S.A. 25
- Barker, T.Q.
— and Brown, S.D.
Analysis of partially resolved liquid chromatographic peaks using dynamic modeling with the Kalman filter 53
- Baroni, U., see Bettinelli, M. 159
- Baxter, D.C.
— and Frech, W.
Determination of mercury by atomic absorption spectrometry using a platinum-lined graphite furnace for in situ preconcentration 175
- Benet, C., see Rius, F.X. 69
- Bettinelli, M.
—, Baroni, U. and Pastorelli, N.
Microwave oven sample dissolution for the analysis of environmental and biological materials 159
- Blanco Gonzalez, E., see García Alonso, J.I. 339
- Bresee, R.R., see Dever, M. 185
- Brown, S.D., see Barker, T.Q. 53
- Brown, S.D., see Wilk, H.R. 37
- Burau, R.G., see Nater, E.A. 233
- Burns, D.T.
—, Chimpalee, N. and Harriott, M.
Flow-injection extraction spectrophotometric determination of bismuth as tetraiodobismuthate (III) with the tetramethylenebis (triphenylphosphonium) cation 449
- Burns, D.T.
—, Chimpalee, N. and Harriott, M.
Flow-injection extraction spectrophotometric determination of dichromate with the tetramethylenebis (triphenylphosphonium) cation 241
- Burns, D.T.
—, Chimpalee, N. and Harriott, M.
Flow-injection spectrophotometric determination of cobalt by extraction as tetrathiocyanatocobaltate(II) with the ethylenebis (triphenylphosphonium) cation 123
- Calokerinos, A.C., see Grekas, N. 359
- Campiglia, A.D., see Perry, L.M. 415
- Chimpalee, N., see Burns, D.T. 123, 241, 449
- Cukrowski, I.
— and Skorzynski, Z.
Microcomputer controlled instrumentation for voltammetric techniques 391
- Davis, M.C., see Kallury, K.M.R. 369
- Dean, T.A., see Poole, C.F. 193
- Delgado Zamarreño, M., see Sanchez Perez, A. 247
- Dever, M.
— and Bresee, R.R.
Enriched copper isotope tracer for dietary copper incorporation into hair using neutron activation analysis in conjunction with direct-current argon plasma spectrometry 185
- Devi, S.
— and Townshend, A.
Determination of nitrate by flow-injection analysis with an on-line anion-exchange column 331
- Dremel, B.A.A.
—, Schaffar, B.P.H. and Schmid, R.D.
Determination of glucose in wine and fruit juice based on a fibre-optic glucose biosensor and flow-injection analysis 293

- Dullau, T.
—, Reinhardt, B. and Schügerl, K.
High reliability and stability of enzyme cartridges in flow-injection analysis 253
- Ebdon, L., see García Alonso, J.I. 339
- Frech, W., see Baxter, D.C. 175
- Freiser, B.S., see Gord, J.R. 11
- Gangoda, M.E., see Yang, S.S. 409
- García Alonso, J.I.
—, López García, A., Sanz-Medel, A., Blanco Gonzalez, E., Ebdon, L. and Jones, P.
Flow-injection and liquid chromatographic determination of aluminium based on its fluorimetric reaction with 8-hydroxyquinoline-5-sulphonic acid in a micellar medium 339
- Ghaemmaghami, V., see Kallury, K.M.R. 369
- Gilpin, R.K., see Yang, S.S. 409
- Glish, G.L., see McLuckey, S.A. 25
- Gomez-Hens, A., see Gutierrez, M.C. 115
- Gord, J.R.
— and Freiser, B.S.
Separation of experiments in time and space using dual-cell Fourier transform ion cyclotron resonance mass spectrometry 11
- Gordon, G., see Themelis, D.G. 437
- Gorton, L., see Marko-Varga, G. 263
- Grekas, N.
— and Calokerinos, A.C.
Effect of sulphite on the determination of sulphide by continuous-flow molecular emission cavity analysis. Determination of both anions in admixture 359
- Griffin, P. R., see Hunt, D.F. 1
- Gutierrez, M.C.
—, Gomez-Hens, A. and Pérez-Bendito, D.
Modular stopped-flow/diode-array detection system for simultaneous kinetics analysis 115
- Haerdi, W., see Veuthey, J.-L. 303
- Hahn-Hägerdal, B., see Marko-Varga, G. 263
- Hamamoto, O., see Uchiyama, S. 425
- Hamon, M., see Pradeau, D. 217
- Hampel, W.A., see Arnezeder, Ch. 129
- Harriott, M., see Burns, D.T. 123, 241, 449
- Hernandez Mendez, J., see Sanchez Perez, A. 247
- Higashidate, S., see Imai, K. 421
- Hinze, W.L., see Igarashi, S. 147
- Hirose, S., see Oda, K. 273
- Horiguchi, K., see Kaku, S. 283
- Hosaka, H., see Nagaoka, T. 83
- Hunt, D.F.
—, Shabanowitz, J., Yates, III, J.R., Griffin, P.R. and Zhu, N.-Z.
Tandem quadrupole Fourier transform mass spectrometry 1
- Igarashi, S.
— and Hinze, W.L.
Enzymatic assay with detection by enhanced luminol chemiluminescence in a reversed micellar system: determination of L-amino acids and glucose 147
- Imai, K.
—, Higashidate, S., Tsukamoto, Y., Uzu, S. and Kanda, S.
Effect of tetrahydrofuran on reversed-phase liquid chromatographic separation of dansyl-hydrazones of oxo-steroids 421
- Jones, P., see García Alonso, J.I. 339
- Kaku, S.
—, Nakanishi, S. and Horiguchi, K.
Enzyme immunoelectrode for insulin incorporating a membrane partially treated with water vapour plasma 283
- Kallury, K.M.R.
—, Ghaemmaghami, V., Krull, U.J., Thompson, M. and Davies, M.C.
Immobilization of phospholipids on silicon, platinum, indium/tin oxide and gold surfaces with characterization by x-ray photoelectron spectroscopy and time-of-flight secondary-ion mass spectrometry 369
- Kanaya, S., see Abe, H. 89
- Kanda, S., see Imai, K. 421
- Karube, I., see Muramatsu, H. 399
- Koliander, W., see Arnezeder, Ch. 129
- Krull, U.J., see Kallury, K.M.R. 369
- Larrech, M.S., see Rius, F.X. 69

- Linares, P.
—, Luque de Castro, M.D. and Valcárcel, M.
Direct automatic determination of free acidity in oils by flow-injection analysis 431
- Linares, P.
—, Luque de Castro, M.D. and Valcárcel, M.
Simultaneous determination of carbon dioxide and sulphur dioxide in wine by gas-diffusion/flow-injection analysis 443
- López García, A., see García Alonso, J.I. 339
- Luque de Castro, M.D., see Linares, P. 431, 443
- Marko-Varga, G.
—, Gorton, L., Hahn-Hägerdal, B. and Dominguez, E.
Enzymatic production and analysis of D-xylulose with a recirculating flow system and post-column liquid chromatographic detection using a co-immobilized enzyme reactor and a chemically modified electrode 263
- Massart, D.L., see Rius, F.X. 69
- Matsuoka, S., see Yoshimura, K. 313
- McLuckey, S.A.
—, Gliash, G.L. and Asano, K.G.
Coupling of an atmospheric-sampling ion source with an ion-trap mass spectrometer 25
- Muramatsu, H.
—, Tamiya, E. and Karube, I.
Detection of odorants using lipid-coated piezoelectric crystal resonators 399
- Nagaoka, T.
—, Hosaka, H. and Ogura, K.
Data-acquisition system for cyclic voltammetry at a microelectrode and application to fast electrode kinetics 83
- Nakanishi, S., see Kaku, S. 283
- Nater, E.A.
—, Burau, R.G. and Akeson, M.
Fluoride matrix modifiers for the determination of aluminum by graphite furnace atomic absorption spectrometry 233
- Obokata, T., see Uchiyama, S. 425
- Oda, K.
—, Yoshida, S., Hirose, S. and Takeda, T.
Determination of total 3 α -hydroxy bile acids in serum by a bioluminescent flow-injection system using a hollow fibre reactor 273
- Ogura, K., see Nagaoka, T. 83
- Olling, M., see van Ginkel, L.A. 137
- Pastorelli, N., see Bettinelli, M. 159
- Pérez-Bendito, D., see Gutierrez, M.C. 115
- Perry, L.M.
—, Campiglia, A.D. and Winefordner, J.D.
Room-temperature phosphorescence of anthracene on a pretreated solid substrate 415
- Pomaville, R.M., see Poole, C.F. 193
- Poole, C.F.
—, Pomaville, R.M. and Dean, T.A.
Proposed substitution of Apolane-87 for squalane as a nonpolar reference phase in gas chromatography 193
- Postaire-Vigreux, M., see Pradeau, D. 217
- Pradeau, D.
—, Postaire-Vigreux, M. and Hamon, M.
Mise en évidence de la formation de complexes entre le vanadium (V) et des molécules monocarbonees (acide formique, monoxyde et dioxyde de carbone) en milieu non aqueux 217
- Radzi, A.M.B.M., see Schweitzer, G.K. 323
- Reinhardt, B., see Dullau, T. 253
- Rius, F.X.
—, Larrechi, M.S., Benet, C., Subias, E., Massart, D.L. and Thielemans, A.
The application of multivariate techniques to data from Spanish glass-making objects from the Roman era 69
- Root, D.P.
—, Wijesuriya, D. and Alexander, P.W.
Steady-state and flow-injection response of a metallic silver electrode for potentiometric detection of metal cyanide complex formation 105
- Sanchez Perez, A.
—, Delgado Zamerreño, M., Hernandez Mendez, J. and Sanchez Rodriguez, R.M.
Flow-injection analysis of vitamin D₃ and

- 25-hydroxy-vitamin D₃ by amperometric detection 247
- Sanchez Rodriguez, R.M., see Sanchez Perez, A. 247
- Sano, A.
—, Takezawa, M. and Takitani, S.
Spectrofluorimetric determination of cyanide in blood and urine with naphthalene-2,3-dialdehyde and taurine 351
- Sanz-Medel, A. see García Alonso, J.I. 339
- Sasaki, S.-I., see Abe, H. 89
- Schaffar, B.P.H., see Dremel, B.A.A. 293
- Schmid, R.D., see Dremel, B.A.A. 293
- Schtügerl, K., see Dullau, T. 253
- Schwartz, L.M.
Statistical uncertainties of end-points in Gran plots 205
- Schweitzer, G.K.
—, Radzi, A.M.B.M. and Alexandratos, S.D.
Cation affinity series for comparable carboxylic, phosphinic and sulfonic ion-exchange resins 323
- Schwillens, P.L.W.J., see van Ginkel, L.A. 137
- Shabanowitz, J., see Hunt D.F. 1
- Skorzynski, Z., see Cukrowski, I. 391
- Stepak, P.
Determination of fluoride by use of a fluoride-selective cell 97
- Subias, E., see Rius, F.X. 69
- Suzuki, S., see Uchiyama, S. 425
- Takahashi, Y., see Abe, H. 89
- Takeda, T., see Oda, K. 273
- Takezawa, M., see Sano, A. 351
- Takitani, S., see Sano, A. 351
- Tamiya, E., see Muramatsu, H. 399
- Themelis, D.G.
—, Wood, D.W. and Gordon, G.
Determination of low concentrations of chloride and chlorate ions by using a flow-injection system 437
- Thielemans, A., see Rius, F.X. 69
- Thompson, M., see Kallury, K.M.R. 369
- Townsend, A., see Devi, S. 331
- Tsukamoto, Y., see Imai, K. 421
- Uchiyama, S.
—, Obokata, T., Suzuki, S. and Hamamoto, O.
Selective coulometric determination of uric acid in human urine using uricases 425
- Uzu, S., see Imai, K. 421
- Valcárcel, M., see Linares, P. 431, 443
- Van Ginkel, L.A.
—, Schwillens, P.L.W.J. and Olling, M.
Liquid chromatographic method with on-line UV spectrum identification and off-line thin-layer chromatographic confirmation for the detection of tranquilizers and carazolol in pig kidneys 137
- Veuthey, J.-L.
— and Haerdi, W.
Copper (II) -dialkyldithiocarbamate-silica precolumn for the enrichment of complexing analytes in natural media coupled on-line with liquid chromatography 303
- Waki, H., see Yoshimura, K. 313
- Wijesuriya, D., see Root, D.P. 105
- Wilk, H.R.
— and Brown, S.D.
Modifications to the simplex-optimized adaptive Kalman filter 37
- Winefordner, J.D., see Perry, L.M. 415
- Wood, D.W., see Themelis, D.G. 437
- Xu, Y.
— and Zheng, Y.
Application of silver-surfactant colloid in surface-enhanced Raman spectroscopy 227
- Yang, S.S.
—, Gangoda, M.E. and Gilpin, R.K.
Quantitation of *p*- and *m*-methylstyrenes by liquid chromatography and ¹³C nuclear magnetic resonance spectrometry 409
- Yates, III, J.R., see Hunt, D.F. 1
- Yoshida, S., see Oda, K. 273
- Yoshimura, K.
—, Matsuoka, S. and Waki, H.
Determination of molybdenum (VI) in natural water and rock by ion-exchange absorptimetry combined with flow analysis 313
- Zheng, Y., see Xu, Y. 227
- Zhu, N.-Z., see Hunt, D.F. 1

